



77

OMEGA 77 EP BEARING & CHASSIS GREASE

EP Bearing & Chassis Grease

多目的極圧グリース

- ・独特の粘着性を持ち、シール性に優れています。
- ・回転による飛散が殆どありません。
- ・耐水性に優れています。
- ・大きな衝撃荷重にも耐えられます。

TRUST *Save Money*
OMEGA *Enhance Performance*
TO *Extend Service Life*

MAGNA INDUSTRIAL CO. LIMITED
— Total Quality Maintenance



製品概要

従来グリースとの切り替えが容易で、優れた汎用性があり、給油間隔も大幅に伸ばします。

・メガライト(特殊添加剤)を含有

オメガ独自の添加剤が、金属表面の凹凸を埋め、摩耗を防ぎます。

・自己シール性

外部に対しシールを形成し、異物(水・ゴミ)の侵入を防止します。

・飛散防止

驚異的な『吸着性』を持っている為、金属面から逃げません。

・耐蝕性

耐水性、耐酸性に優れ、金属を腐食から守ります。

・高い極圧性

優れた高荷重運転特性と、潤滑特性を持っており、機器の寿命を大幅に伸ばします。

・使用箇所

全てのベアリング、シャーシ、飛散を嫌う箇所、水の掛かる設備
印刷機(カム・コロ・爪軸)、ユニバーサルジョイント部

稠度	2号 (250~350)	00号 (95)
引火点	232°C	242°C
滴点	188°C	—
増稠剤	リチウム	リチウム
ティムケンOKロードボンド	40	50
使用温度範囲	-7°C~149°C	-7°C~149°C
色	赤	赤

荷姿: 15kg缶 ・ 5kg缶
ジャバラ(400g・80g)
400gカートリッジ(丸筒)



Omega
The Ultimate Lubricant

Magna Industrial reserves the right to modify or change this product for purposes of improving its performance characteristics.
© 2015 Magna Industrial Co. Limited.

The Omega trade mark is the property of ITW, Inc., and is used under licence by Magna Industrial Co. Limited

MAGNA INDUSTRIAL CO. LIMITED
Total Quality Maintenance

The information contained in this publication is to the best of our knowledge and accurate at the time of issue in January, 2015

オメガ潤滑剤輸入販売元

株式会社 アルファ・テック

〒577-0841 東大阪市足代3-2-14

TEL : 06-6729-0031

FAX : 06-6729-0036