




670

OMEGA 670 Straight Mineral Gear Oil



Straight Mineral Gear Oil

無添加鉱物性ギヤ-オイル

耐酸化特性・耐熱性・耐摩耗性
を持った100%純粋パラフィン系
オイルです。

TRUST *Save Money*
OMEGA *Enhance Performance*
TO *Extend Service Life*



SPECIAL FEATURES

ストレートミネラルギヤードイルは高純度・高性能ギヤードイル用として特別に開発されました。

- ・最も品質が高く、攪拌による「非泡立ち性」があり、油膜強度が強いため、耐摩耗性に優れており、長期間の過酷な条件下に於いても機器の保護をします。
- ・一般の無添加オイルでは、粘度が高くなり抵抗になってしまうような低温時でも、また逆に粘度が希釈になり油膜保持性能が発揮出来ないような高温時でも、変化なく特性を発揮します。
- ・完全耐水性です。
- ・無添加オイルの為、スケール・残渣等の発生無し。

ギヤードの密閉方法・スピード・サイズ・雰囲気条件・潤滑方法・ギヤードの位置等に関係なく優れた粘度安定性を発揮し、ギヤードトラブルの「ゴーリング」や「ピッチング」などのトラブルを防止します。

USE FOR

- ・無添加鉱物油が指定になっている機器
- ・精密ギヤードBOX・各減速機
- ・オープン・乾燥炉などの高温チェーン部
- ・印刷機 (UV・IR) チェーン部

粘度	SAE140 (ISOVG460)
粘度指数	97
引火点	330℃
比重	0.901
流動点	-21℃

荷姿 : 20L



Omega

The Ultimate Lubricant

ITW PPFK reserves the right to modify or change this product for purposes of improving its performance characteristics.
© 2016 ITW PP & F Korea Limited

The Omega Trade Mark is the property of ITW Inc., and is used under licence by ITW PP & F Korea Limited.



The information contained in this publication is to the best of our knowledge and accurate at the time of issue in October, 2016